


2/4/05

L7 ANSWER 691 OF 698 CAPLUS COPYRIGHT 2005 ACS on STN  
GI



AB A new piperidine alkaloid, moranoline (I), m.p. 204-5°, C<sub>6</sub>H<sub>13</sub>NO<sub>4</sub>, was isolated from *Morus*. The structure of moranoline was determined as (2R,3R,4R,5S)-2-hydroxymethyl-3,4,5-trihydroxypiperidine by spectral anal.

AN 1977:167851 CAPLUS

DN 86:167851

TI The structure of moranoline, a piperidine alkaloid from *Morus* species

AU Yagi, Masahiro; Kouno, Tatsuhiko; Aoyagi, Yoshiaki; Murai, Hiromu

CS Res. Lab., Nippon Shinyaku Co., Ltd., Kyoto, Japan

SO Nippon Nogei Kagaku Kaishi (1976), 50(11), 571-2

CODEN: NNKKA; ISSN: 0002-1407

DT Journal

LA Japanese


IT 19130-97-3P

RL: SPN (Synthetic preparation); PREP (Preparation)  
(preparation of)

RN 19130-97-3 CAPLUS

CN 3,4,5-Piperidinetriol, 1-acetyl-2-[(acetyloxy)methyl]-, triacetate  
(ester), [2R-(2α,3β,4α,5β)]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



L7 ANSWER 692 OF 698 CAPLUS COPYRIGHT 2005 ACS on STN  
GI

10432516

2/4/05



AB 1-O-Methyl-5-benzamido-5-deoxy-DL-idopiperidinose (I) was synthesized from the dihydropyridine derivative II by stereoselective introduction of the hydroxyl function.

AN 1977:140353 CAPLUS

DN 86:140353

TI Synthetic studies on amino sugars from pyridines. III. Synthesis of 1-O-methyl-5-benzamido-5-deoxy-dl-idopiperidinose

AU Natsume, Mitsutaka; Wada, Moritaka

CS Res. Found. Itsuu Lab., Tokyo, Japan

SO Chemical & Pharmaceutical Bulletin (1976), 24(11), 2657-60  
CODEN: CPBTAL; ISSN: 0009-2363

DT Journal

LA English


IT 62218-37-5P

RL: SPN (Synthetic preparation); PREP (Preparation)  
(preparation and hydrolysis with sodium methoxide)

RN 62218-37-5 CAPLUS

CN 3-Piperidinecarbonitrile, 3,4,5-tris(acetyloxy)-1-benzoyl-6-  
[(benzoyloxy)methyl]-2-methoxy-, (2 $\alpha$ ,3 $\beta$ ,4 $\beta$ ,5 $\alpha$ ,6. alph  
a.)- (9CI) (CA INDEX NAME)

Relative stereochemistry.




IT 62218-38-6P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT  
(Reactant or reagent)  
(preparation and saponification of)

RN 62218-38-6 CAPLUS

CN 3,4,5-Piperidinetriol, 2-[(acetyloxy)methyl]-1-benzoyl-6-methoxy-,  
triacetate (ester), (2 $\alpha$ ,3 $\alpha$ ,4 $\beta$ ,5 $\alpha$ ,6 $\alpha$ )- (9CI)  
(CA INDEX NAME)

2/4/05




IT 62218-39-7P

RL: SPN (Synthetic preparation); PREP (Preparation)  
(preparation of)

RN 62218-39-7 CAPLUS

CN 3,4,5-Piperidinetriol, 1-benzoyl-2-(hydroxymethyl)-6-methoxy-,  
(2α,3α,4β,5α,6α)- (9CI) (CA INDEX NAME)

Relative stereochemistry.



10432516